OTP E SOLITON SOLITON ASSESSMENT OF TRADEWARM

RECEIVED

200.

TC 1700

PATENT Customer No. 22,852 Attorney Docket No. 4173.0403

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:) received
Yutaka HASEGAWA et al.	
Application No.: 09/472,150)
Filed: December 27, 1999) Examiner: Jennifer A. Leung
For: HIGH-PRESSURE TREATMENT APPARATUS, FEEDING METHOD THERETO AND PROTECTION METHOD THEREOF))))

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

<u>AMENDMENT</u>

In reply to the September 5, 2003 Office Action (Paper No. 19), please amend the above-identified application as follows:

Amendments to the Claims are reflected in the listing of claims beginning on page 2 of this paper. Remarks begin on page 6 of this paper. An appendix includes a courtesy copy of *In Re Dembiczak*, 175 F.3d 994, 1000 (Fed. Cir. 1999), and is attached following page 13 of this paper.

FINNEGAN HENDERSON FARABOW GARRETT & DUNNER LLP

1300 I Street, NW Washington, DC 20005 202.408.4000 Fax 202.408.4400 www.finnegan.com